



Actinic BL TL-D(K) Secura – additional safety and HACCP approval

Actinic BL TL-D(K) Secura

With an optimized spectrum matching the eye sensitivity of the housefly, Actinic BL TL-D(K) Secura lamps are perfect for attracting insects. They have virtually no UV-B output, and so are perfectly safe. In addition, they have a special "Secura" sleeve that keeps all glass and components together in the case of accidental breakage. This eliminates the risk of glass splinters showering down on food preparation areas, for example. And that is why it meets the strict HACCP requirements. What's more, with the lowest mercury content in the industry and being 100% lead-free, these lamps represent a very good environmental choice.

Benefits

- Perfectly matches the eye sensitivity of houseflies and in this way attracts more insects
- Safe for use
- Good environmental choice
- No risk of glass particles

Features

- Emits long-wave UV-A radiation in the 350-400nm range
- UV-B/UV-A ratio less than 0.1 % (UV-B 280-315nm)
- 100% lead-free
- Low mercury content
- Shatterproof sleeve

Actinic BL TL-D(K) Secura

Application

- Insect traps, Electronic Fly Killers (EFKs)

Warnings and Safety


- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- Lamp contains mercury. Manage in Accord with Disposal Laws. See: www.lamprecycle.org or 1-800-555-0050

Versions



TL-D Secura

Dimensional drawing



Product	D (max)	A (max)	B (max)	B (min)	C (max)
Actinic BL TL-D 15W/10 Secura 1SL/25	28 mm	437.4 mm	444.5 mm	442.1 mm	451.6 mm
Actinic BL TL-D 18W/10 Secura 1SL/25	28 mm	589.8 mm	596.9 mm	594.5 mm	604 mm

Actinic BL TL-D(K) Secura

General Information

Cap-Base	G13
Useful Life (Nom)	9000 h
Main Application	Insect traps

Light Technical

Color Code	10
Color Designation	Actinic

Mechanical and Housing

Bulb Shape	T8
------------	----

UV

UV-B/UV-A (IEC)	0.2 %
-----------------	-------

Approval and Application

Order Code	Full Product Name	Mercury (Hg) Content (Nom)
215186	ACTINIC BL15W/10 SECURA 25PK	5.5 mg

Order Code	Full Product Name	Mercury (Hg) Content (Nom)
258996	Actinic BL TL-D 18W/10 Secura 1SL/25	5.0 mg

Operating and Electrical

Order Code	Full Product Name	Lamp Current (Nom)	Voltage (Nom)	Power (Rated) (Nom)
215186	ACTINIC BL15W/10 SECURA 25PK	0.335 A	55 V	15 W

Order Code	Full Product Name	Lamp Current (Nom)	Voltage (Nom)	Power (Rated) (Nom)
258996	Actinic BL TL-D 18W/10 Secura 1SL/25	0.36 A	59 V	18 W

General Information

Order Code	Full Product Name	Life To 50% Failures (Nom)
215186	ACTINIC BL15W/10 SECURA 25PK	8000 h

Order Code	Full Product Name	Life To 50% Failures (Nom)
258996	Actinic BL TL-D 18W/10 Secura 1SL/25	13000 h

UV

Order Code	Full Product Name	UV-A Radiation 100Hr (IEC)
215186	ACTINIC BL15W/10 SECURA 25PK	3.15 W

Order Code	Full Product Name	UV-A Radiation 100Hr (IEC)
258996	Actinic BL TL-D 18W/10 Secura 1SL/25	4.5 W

