



Halogen reflector

ELC 13163 24V 250W

Philips' halogen reflector lamps offer the ideal no-fuss solution for a wide variety of medical, projection and scientific illumination systems. Their proven reliability makes them ideal for retrofit installations. The burners are precisely aligned for optimal light performance. Dichroic reflectors ensure heat dissipation towards the back of the optical system, which helps the optical system remain within temperature limits. A special blue-filter version blocking out unwanted light above 700 nm is available for dental curing applications. In addition, you get all the proven advantages of halogen technology such as a CRI of 100 – the same as natural sunlight for the best possible color rendering. Halogen lamps also create a comfortable warm white light, and they maintain their high lumen output with almost no lumen reduction throughout their lifetime.

Product data


General Information		Controls and Dimming	
Base	GX5.3 [GX5.3]	Dimmable	Yes
Philips Code	13163	Mechanical and Housing	
ANSI Code	ELC	Bulb Material	Quartz-UV Open
LIF Code	A1/259	Reflector Finish	Smooth
Operating Position	Universal [Universal]	Filament Dimensions WxH	-
Main Application	Projection	Bulb Shape	R-16 [R-16]
Life to 50% Failures (Nom)	50 h	Luminaire Design Requirements	
Light Technical		Bulb Temperature (Max)	900 °C
Color Rendering Index (Nom)	100	Pinch Temperature (Max)	400 °C
Operating and Electrical		Working Distance WD	35 mm
Power (Rated) (Nom)	250 W	Product Data	
Voltage (Nom)	24 V	Order product name	13163 250W GX5.3 24V 1CT/10X5F

Halogen reflector

EAN/UPC - Product	8711500409751
Order code	507095
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	50

Material Nr. (12NC)	923919720501
Net Weight (Piece)	0.024 kg

Dimensional drawing



13163 250W GX5.3 24V

Product	D (max)	C (max)
13163 250W GX5.3 24V 1CT/10X5F	50 mm	44.5 mm

