



# PL-S Short 2-Pin Base

## PL-S 7W/827/2P 1CT/5X10BOX ALTO

Philips Linear Compact Fluorescent Lamps offer designers, specifiers and end-users new levels of efficiencies and versatility in sizes, configurations and application possibilities. With so many elegant fixtures available to complement their small size, high light output and advanced technology, Philips Energy Advantage lamps are fast becoming the preferred choice when maximum efficiency and sleek design solutions are required.

### Warnings and Safety

- Lamp contains mercury.
- Manage in Accord with Disposal Laws.
- See: [www.lamprecycle.org](http://www.lamprecycle.org) or 1-800-555-0050

### Product data

General Information	
Cap-Base	G23 [G23]

Light Technical	
Color Code	827 [CCT of 2700K]
Luminous Flux	400 lumen
Color Designation	Incandescent White
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	57 lm/W
Color rendering index (CRI)	82

Operating and Electrical	
Power Consumption	7.1 W
Lamp Current (Nom)	0.175 A

Controls and Dimming	
Dimmable	No


Approval and Application	
Mercury (Hg) Content (Nom)	1.4 mg

Product Data	
Order product name	PL-S 7W/827/2P 1CT/5X10BOX ALTO
Order code	148718
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material number (12NC)	927901282721
Full product name	PL-S 7W/827/2P 1CT/5X10BOX ALTO
EAN/UPC - Case	50046677148718


# PL-S Short 2-Pin Base

## Dimensional drawing




Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
PL-S 7W/827/2P 1CT/5X10BOX ALTO	28 mm	13 mm	97 mm	113 mm	135 mm

## Photometric data



Spectral Power Distribution Colour - PL-S 7W/827/2P 1CT/5X10BOX ALTO

## Lifetime



Life Expectancy Diagram - PL-S 7W/827/2P 1CT/5X10BOX ALTO



Life Expectancy Diagram - PL-S 7W/827/2P 1CT/5X10BOX ALTO

## PL-S Short 2-Pin Base

### Lifetime



Lumen Maintenance Diagram - PL-S 7W/827/2P 1CT/5X10BOX ALTO

