



PL-C Cluster 2-Pin Base

PL-C 18W/827/2P/ALTO 10PK

Philips Linear Compact Fluorescent Lamps offer designers, specifiers and end-users new levels of efficiencies and versatility in sizes, configurations and application possibilities. With so many elegant fixtures available to complement their small size, high light output and advanced technology, Philips Energy Advantage lamps are fast becoming the preferred choice when maximum effciency and sleek design solutions are required.

Warnings and Safety

· Lamp contains mercury. Manage in Accord with Disposal Laws. See: www.lamprecycle.org or 1-800-555-0050

Product data

General Information			
Base	G24D-2 [G24d-2]		
Life To 10% Failures (Nom)	6500 h		
Life to 50% Failures (Nom)	10000 h		
LSF 2000 h Rated	99 %		
LSF 4000 h Rated	98 %		
LSF 6000 h Rated	92 %		
LSF 8000 h Rated	78 %		
Light Technical			
Color Code	827 [CCT of 2700K]		
Initial lumen (Nom)	1200 lm		
Luminous Flux (Rated) (Nom)	1200 lm		
Color Designation	Incandescent White		
Correlated Color Temperature (Nom)	2700 K		
Luminous Efficacy (rated) (Nom)	67 lm/W		

Color Rendering Index (Nom)	82
LLMF 2000 h Rated	92 %
LLMF 4000 h Rated	87 %
LLMF 6000 h Rated	83 %
LLMF 8000 h Rated	81 %
Operating and Electrical	
Power (Rated) (Nom)	17.9 W
Lamp Current (Nom)	0.230 A
Temperature	
Design Temperature (Nom)	28 °C
Controls and Dimming	
Dimmable	No


Datasheet, 2021, July 30 data subject to change

PL-C Cluster 2-Pin Base


Mechanical and Housing		
Cap-Base Information	2P	
Approval and Application		
Mercury (Hg) Content (Nom)	1.4 mg	
Energy Consumption kWh/1000 h	22 kWh	
<u> </u>		
Product Data		

Order code	383166
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	927905782730
Net Weight (Piece)	57.800 g
ILCOS Code	FSQ-18/27/1B-I-G24d=2






Dimensional drawing




PL-C 18W/827/2P

Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
PL-C 18W/827/2P/ALTO	27.1 mm	27.1 mm	109.5 mm	128.0 mm	150.4 mm
10PK					

Photometric data




LDPB_PLC2P_827-Spectral power distribution B/W



LDPO_PLC2P_827-Spectral power distribution Colour

PL-C Cluster 2-Pin Base


Lifetime





LDLE_PLC2P_0001-Life expectancy diagram





LDLM_PLC2P_0001-Lumen maintenance diagram



© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.