



PL-C Cluster 2-Pin Base

PL-C 18W/835/2P/ALTO 10PK

Philips Linear Compact Fluorescent Lamps offer designers, specifiers and end-users new levels of efficiencies and versatility in sizes, configurations and application possibilities. With so many elegant fixtures available to complement their small size, high light output and advanced technology, Philips Energy Advantage lamps are fast becoming the preferred choice when maximum efficiency and sleek design solutions are required.

Warnings and Safety

- Lamp contains mercury.
- Manage in Accord with Disposal Laws.
- See: www.lamprecycle.org or 1-800-555-0050


Product data

General Information		Lamp Current (Nom)	
Cap-Base	G24D-2 [G24d-2]		0.230 A
Light Technical		Controls and Dimming	
Color Code	835 [CCT of 3500K]	Dimmable	No
Luminous Flux	1,200 lumen	Approval and Application	
Color Designation	White (WH)	Mercury (Hg) Content (Nom)	1.4 mg
Correlated Color Temperature (Nom)	3500 K	Energy Consumption kWh/1000 h	22 kWh
Luminous Efficacy (rated) (Nom)	67 lm/W	Product Data	
Color rendering index (CRI)	82	Order product name	PL-C 18W/835/2P/ALTO 10PK
Operating and Electrical		Order code	383182
Power Consumption	18 W	Numerator - Quantity Per Pack	1
		Numerator - Packs per outer box	10

PL-C Cluster 2-Pin Base


Material number (12NC)	927905783530
Full product name	PL-C 18W/835/2P/ALTO 10PK
EAN/UPC - Case	60046677111634

Dimensional drawing




Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
PL-C 18W/835/2P/ALTO 10PK	27.1 mm	27.1 mm	109.5 mm	128.0 mm	150.4 mm

Photometric data



Spectral Power Distribution Colour - PL-C 18W/835/2P/ALTO 10PK

Lifetime




Life Expectancy Diagram - PL-C 18W/835/2P/ALTO 10PK

Life Expectancy Diagram - PL-C 18W/835/2P/ALTO 10PK

PL-C Cluster 2-Pin Base

Lifetime



Lumen Maintenance Diagram - PL-C 18W/835/2P/ALTO 10PK

