



# CorePro LEDtube EM/ Mains T8

## CorePro LEDtube 600mm 9W840 C Glass

The CorePro LEDtube is an affordable LED solution suitable for replacing T8 fluorescent lamps. The product provides a natural lighting effect for use in general lighting applications, as well as instant energy savings – an environmentally friendly solution.

### Warnings and Safety

• –

### Product data

General Information	
Cap-Base	G13 [Medium Bi-Pin Fluorescent]
Nominal lifetime	30,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	240 degree(s)
Luminous Flux	800 lm
Correlated Color Temperature (Nom)	4000 K
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Line Frequency	50 to 60 Hz


Input Frequency	50 to 60 Hz
Power Consumption	8 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	Instant full light s
Power Factor (Fraction)	0.9
Voltage (Nom)	220-240 V
Temperature	
Ambient temperature range	-4 °F to 113 °F
T-Case Maximum (Nom)	133 °F
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Product Length	600 mm

# CorePro LEDtube EM/Mains T8

Approval and Application	
Energy Saving Product	Yes
Suitable For Accent Lighting	No
Approval Marks	CE marking RoHS compliance KEMA Keur certificate
Energy Consumption kWh/1000 h	8 kWh
Product Data	
Order product name	CorePro LEDtube 600mm 8W840 C G
Full product name	CorePro LEDtube 600mm 9W840 C Glass


Full product code	871869649277200
Order code	304931
Material Nr. (12NC)	929001173202
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696492772
Numerator - Packs per outer box	10
EAN/UPC - Case	8718696492789

## Dimensional drawing



Product	D1	D2	A1	A2	A3
CorePro LEDtube 600mm 8W840 C G	1-1/16 inch	1-1/8 inch	23-3/16 inch	23-1/2 inch	23-3/4 inch

## Photometric data



Light Distribution Diagram - CorePro LEDtube 600mm 8W840 C G

Spectral Power Distribution Colour - CorePro LEDtube 600mm 8W840 C G

