



T5

24T5HO/46-840/IF35/P/DIM 10/1

Philips LED T5 InstantFit Lamps are an ideal energy saving choice for existing linear fluorescent fixtures.

Product data

General information	
Base	G5 [G5]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	50000 h
Switching Cycle	50000
Tier	MasterClass
Light technical	
Color Code	841 [CCT of 4100K (841)]
Beam Angle (Nom)	140 °
Initial lumen (Nom)	3500 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	145.00 lm/W
Color Consistency	<5
Color Rendering Index (Nom)	82
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	40000-80000 Hz
Power (Rated) (Nom)	24 W
Lamp Current (Max)	600 mA
Lamp Current (Min)	400 mA
Wattage Equivalent	54 W
Starting Time (Nom)	0.5 s


Warm Up Time to 60% Light (Nom)	0.5 s
UL Type	Type A - works on ballast
Power Factor (Nom)	0.9
Voltage (Nom)	39-64 V
Temperature	
T-Ambient (Max)	113 °F
T-Ambient (Min)	-4 °F
T-Storage (Max)	149 °F
T-Storage (Min)	-40 °F
T-Case Maximum (Nom)	113 °F
Controls and dimming	
Dimmable	Yes
Mechanical and housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Product Length	47-1/4 in
Bulb Shape	Tube, double-ended
Approval and application	
Energy Saving Product	Yes
Approbation Marks	DLC compliance
Approbation Marks	UL certificate RoHS compliance

T5

Energy Consumption kWh/1000 h	- kWh
Energy Certifications	DLC Standard
Product data	
Order product name	24T5HO/46-840/IF35/P/DIM 10/1
EAN/UPC - Product	046677467142
Order code	467142
Numerator - Quantity Per Pack	1

Local code description	24T5 LED/HO/48-4000 IF 10/1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001283904
Net Weight (Piece)	0.375 lb
Model Number	9290012839



Dimensional drawing




24T5HO/46-840/IF35/P/DIM 10/1

Product	D1	D2	A1	A2	A3
24T5HO/46-840/IF35/P/DIM 10/1	5/8 in	3/4 in	45-3/16 in	45-1/2 in	45-3/4 in

Photometric data



LEDtube 1100mm 24W G5 840 3500lm



LEDtube 1100mm 24W G5 840 3500lm

