



A-Shape LED

5A19/PER/940/P/E26/DIM 6/1FB T20

Philips A-Shape Dimmable LED Lamps are the smart LED Alternative to standard incandescent. The unique lamp design provides omni-directional light with excellent dimming performance.


Product data

General information		Warm Up Time to 60% Light (Nom)	
Base	E26 [Single Contact Medium Screw]		0.5 s
EU RoHS compliant	Yes	Power Factor (Nom)	0.7
Nominal Lifetime (Nom)	15000 h	Voltage (Nom)	120 V
Switching Cycle	50000X	Temperature	
Technical Type	5-40W	T-Case Maximum (Nom)	75 °C
Light technical		Controls and dimming	
Color Code	940 [CCT of 4000K]	Dimmable	Yes
Beam Angle (Nom)	250 °	Mechanical and housing	
Initial lumen (Nom)	450 lm	Bulb Finish	Frosted
Color Designation	Cool White (CW)	Bulb Shape	A19 (A19)
Correlated Color Temperature (Nom)	4000 K	Approval and application	
Luminous Efficacy (rated) (Nom)	90.00 lm/W	Energy Consumption kWh/1000 h	- kWh
Color Consistency	<4	Product data	
Color Rendering Index (Nom)	90	Order product name	5A19/PER/940/P/E26/DIM 6/1FB T20
LLMF At End Of Nominal Lifetime (Nom)	70 %	EAN/UPC - Product	046677547042
Operating and electrical		Order code	547042
Input Frequency	60 Hz	Numerator - Quantity Per Pack	1
Power (Rated) (Nom)	5 W	Numerator - Packs per outer box	6
Lamp Current (Nom)	55 mA	Material Nr. (12NC)	929002035904
Wattage Equivalent	40 W		
Starting Time (Nom)	0.5 s		

A-Shape LED

Net Weight (Piece) 0.060 kg



Dimensional drawing



5A19/PER/940/P/E26/DIM 6/1FB T20

Product	D	C
5A19/PER/940/P/E26/DIM 6/1FB T20	62.5 mm	111.5 mm


Photometric data



General Lighting Data

40 60 75 100W E26 A19 A21 Frosted



40W E26 A19 940 Frosted



40W E26 A19 940 Frosted

A-Shape LED

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

