



# Halogen non-reflector

## ESB 7388 20W 6V 100PK

Halogen non-reflector lamps offer high-quality light and are easy to install, replace and operate. All halogen non-reflector lamps incorporate a distortion-free quartz bulb and a precise positioning of the mounted filament. These ensure optimal beam performance and consistent, high light output. A wide range of wattages is available for a broad variety of applications, including projection systems. In addition you get all the proven advantages of halogen technology such as a full spectrum and a color rendering index (CRI) of 100 – the same as natural light and the best that it can be. Halogen lamps also create a comfortable warm white light, and they maintain their lumen output, with almost no reduction, throughout their lifetime.

### Product data

General Information		Filament Dimensions WxH	
Base	G4 [ G4]		2.3x0.8
Philips Code	7388	Luminaire Design Requirements	
ANSI Code	ESB	Bulb Temperature (Max)	900 °C
LIF Code	M30	Pinch Temperature (Max)	400 °C
Operating Position	Universal [ Universal]	Product Data	
Main Application	Projection	Order product name	7388 20W G4 6V 1CT/10X10F
Life to 50% Failures (Nom)	100 h	EAN/UPC - Product	8711500409867
Light Technical		Order code	256784
Initial lumen (Nom)	460 lm	Numerator - Quantity Per Pack	1
Color Rendering Index (Nom)	100	Numerator - Packs per outer box	100
Operating and Electrical		Material Nr. (12NC)	923874610103
Power (Rated) (Nom)	20 W	Net Weight (Piece)	0.001 kg
Voltage (Nom)	6 V		
Mechanical and Housing			
Bulb Material	Quartz-UV Open		

## Halogen non-reflector

### Dimensional drawing



Product	D (max)	L (max)	C (max)
7388 20W G4 6V 1CT/10X10F	9.5 mm	19.75 mm	31 mm

7388 20W G4 6V

