



Halogen non-reflector

EYB 82V 360W 24PK

Halogen non-reflector lamps offer high-quality light and are easy to install, replace and operate. All halogen non-reflector lamps incorporate a distortion-free quartz bulb and a precise positioning of the mounted filament. These ensure optimal beam performance and consistent, high light output. A wide range of wattages is available for a broad variety of applications, including projection systems. In addition you get all the proven advantages of halogen technology such as a full spectrum and a color rendering index (CRI) of 100 – the same as natural light and the best that it can be. Halogen lamps also create a comfortable warm white light, and they maintain their lumen output, with almost no reduction, throughout their lifetime.

Product data

General Information	
Base	G5.3 [G5.3]
Philips Code	14531
ANSI Code	EYB
LIF Code	-
Operating Position	Base Down +/- 90 D [Base Down +/- 90 D]
Main Application	Projection
Life to 50% Failures (Nom)	75 h

Light Technical	
Luminous Flux (Rated) (Nom)	10000 lm
Correlated Color Temperature (Nom)	3300 K
Color Rendering Index (Nom)	100

Operating and Electrical	
Power (Rated) (Nom)	360 W
Voltage (Nom)	82 V


Mechanical and Housing	
Bulb Material	Quartz-UV Open
Filament Shape	Flat
Filament Dimensions WxH	4.0x8.0

Luminaire Design Requirements	
Bulb Temperature (Max)	900 °C
Pinch Temperature (Max)	400 °C

Product Data	
Order product name	14531 360W G5.3 82V 1CT
EAN/UPC - Product	8711500424631
Order code	232579
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	24
Material Nr. (12NC)	924041528894
Net Weight (Piece)	0.009 kg

Halogen non-reflector

Dimensional drawing



Product	D (max)	L (min)	L (max)	L	P (max)	P	P (min)	C (max)
14531 360W	11.5 mm	30.8	32 mm	31.8	1.65 mm	1.50	1.47 mm	57 mm
G5.3 82V 1CT		mm		mm		mm		

14531 360W G5.3 82V

