



# PL-C Cluster 2-Pin Base

## PL-C 26W/835/2P/ALTO 10PK

Philips Linear Compact Fluorescent Lamps offer designers, specifiers and end-users new levels of efficiencies and versatility in sizes, configurations and application possibilities. With so many elegant fixtures available to complement their small size, high light output and advanced technology, Philips Energy Advantage lamps are fast becoming the preferred choice when maximum efficiency and sleek design solutions are required.

### Warnings and Safety

- Lamp contains mercury. Manage in Accord with Disposal Laws. See: [www.lamprecycle.org](http://www.lamprecycle.org) or 1-800-555-0050

### Product data

General Information		Color Rendering Index (Nom)	
Base	G24D-3 [ G24d-3]		82
Life To 10% Failures (Nom)	6500 h	LLMF 2000 h Rated	92 %
Life to 50% Failures (Nom)	10000 h	LLMF 4000 h Rated	87 %
LSF 2000 h Rated	99 %	LLMF 6000 h Rated	83 %
LSF 4000 h Rated	98 %	LLMF 8000 h Rated	81 %
LSF 6000 h Rated	92 %	<b>Operating and Electrical</b>	
LSF 8000 h Rated	78 %	Power (Rated) (Nom)	26.5 W
<b>Light Technical</b>		Lamp Current (Nom)	0.335 A
Color Code	835 [ CCT of 3500K]	<b>Temperature</b>	
Initial lumen (Nom)	1800 lm	Design Temperature (Nom)	28 °C
Luminous Flux (Rated) (Nom)	1800 lm	<b>Controls and Dimming</b>	
Color Designation	White (WH)	Dimmable	No
Correlated Color Temperature (Nom)	3500 K		
Luminous Efficacy (rated) (Nom)	68 lm/W		

# PL-C Cluster 2-Pin Base

## Mechanical and Housing

Cap-Base Information 2P

## Approval and Application

Energy Efficiency Label (EEL) B  
 Mercury (Hg) Content (Nom) 1.4 mg  
 Energy Consumption kWh/1000 h 32 kWh

## Product Data

Order product name PL-C 26W/835/2P/ALTO 10PK

EAN/UPC - Product 046677111649

Order code 383232


Numerator - Quantity Per Pack 1

Numerator - Packs per outer box 10

Material Nr. (12NC) 927906183530

Net Weight (Piece) 64.300 g


## Dimensional drawing




PL-C 26W/835/2P

Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
PL-C 26W/835/2P/ALTO 10PK	27.1 mm	27.1 mm	130.5 mm	149.0 mm	171.4 mm

## Photometric data



LDPB\_PLC2P\_835-Spectral power distribution B/W



LDPO\_PLC2P\_835-Spectral power distribution Colour

## PL-C Cluster 2-Pin Base

### Lifetime



LDLE\_PLC2P\_0001-Life expectancy diagram

LDLE\_PLC2P\_0002-Life expectancy diagram



LDLM\_PLC2P\_0001-Lumen maintenance diagram

